

WILDLAND FIRE CONTROL

TOPIC: TYPES OF CONTROL LINE

TIME FRAME: 1:00

LEVEL of INSTRUCTION: Level I

BEHAVIORAL OBJECTIVE:

Condition: Given a written quiz

Behavior: The student will confirm a knowledge of the various types of

control line utilized to contain a wildland fire, the advantages

and disadvantages of each method, and the tools and equipment used to support and perform each method

Standard: With a minimum of 70% accuracy

MATERIALS NEEDED: • Writing board with markers/erasers

Appropriate audio visual equipment and screen

Slides/overhead transparencies for this lesson

Student Information Sheet 4202.4-1

Topic Quiz

REFERENCES: CDF Fire Protection Training Handbook 4300

Wildland Firefighting, Clayton, Day, and McFadden, 1987

PREPARATION: Fire crews build hand line, but firefighting is a team effort.

Consequently, fire crew members find themselves working around and assisting other resources and their types of

control effort as well.

4202.4.tlp.doc October 21, 2004

TYPES OF CONTROL LINE

PRESENTATION APPLICATION I. **WET LINE** A. Definition 1. A temporary measure used to stop the spread of fire until control lines can be constructed. results in a "water scratch line" B. Mobile Attack 1. A method used where terrain, fuel, and burning conditions permit a direct attack with water and access by fire engines a) The nozzle operator follows the fire perimeter using water to extinguish flame and cool hot fuel b) The fire engine follows the nozzle operator A 1½" cotton jacket hose and a c) combination nozzle is normally used d) Objective is to extinguish all burning fuels along or near the fire perimeter Must be anchored or coordinated with e) efforts of other units 2. Advantages a) Minimizes size of fire b) Quick control method Takes heat away - reducing convection c) d) Safety advantage Nozzle crew can usually step into 1) burn



Procedures Handbook 4200

				TYPES OF CONTROL LINE
			PRESENTATION	APPLICATION
	3.	Disa	dvantages	
		a)	Working in heat and smoke	
		b)	Terrain or fuel features easily stop operation	the
		c)	Poor visibility	
		d)	Safety disadvantages	
			1) Heat stress	
			2) Air drop hazards	
			 Danger to firefighters from firefighters from firefighters from firefighters. 	
C.	Prog	gressi	e (extended) hose lays	
	1.	extir and	suppression tactic involving the guishment of successive incremen he addition of lengths of hose, appateral lines at the nozzle	
		a)	Laterals are usually installed after second length to maintain control assist in mop-up	· · · · · · · · · · · · · · · · · · ·
		b)	Used in areas too steep or rough tengines and mobile attack	for fire
		c)	Similar techniques of water applications used in mobile attack	ation to
			Accomplished at a slower modeliberate rate of forward pro	
		d)	Objective is to extinguish all burning on and near the fire perimeter, in a continuous line	·
	2.	Adv	ntages	

Procedures Handbook 4200

TYPES OF CONTROL LINE

PRESENTATION						APPLICATION
			a)	Mini	mizes size of fire	
			b)	Quid	ck control method	
			c)	Tak	es heat away, reducing convection	
			d)		tic is effective in a wide variety of ains and fuels	
			e)	Safe	ety advantage	
				1)	Crew can usually step into burn	
		3.	Disa	advan	tages	
			a)		tic relies on mechanical equipment water supply	
			b)		e is vulnerable to mechanical and fire lage	
			c)	Wor	king in heat and smoke	
			d)	Poo	r visibility	
			e)	Safe	ety disadvantages	
				1)	Heat stress	
				2)	Air drop hazards	
				3)	Tendency to rely on water flow for safety	
II.	DOZ	OZER LINE				
	A.		Utilizes the same principle as hand line construction, only using mechanical equipment			
	B.	Can be used in both direct and indirect attack methods				
	C.	Advantages				



Procedures Handbook 4200

TYPES OF CONTROL LINE

PRESENTATION APPLICATION 1. Can be constructed rapidly in many fuel/terrain combinations 2. Dozers work well in tandem 3. Dozers can quickly and effectively build safety zones D. Disadvantages 1. Can create environmental damage a) Erosion b) Archaeological sites c) Steep/rocky terrain 2. Cannot work in some types of terrain a) Too steep 3. Operator often exposed to hazards a) Burnover b) Rollover Falling and rolling material c) 4. Dozers often cover up burning material under dozer piles III. HAND LINE A. Control line that has been constructed by personnel using hand tools and hand operated power tools 1. Fire control method that is used in all areas, especially those that are too steep or rough for mechanical equipment



Procedures Handbook 4200

TYPES OF CONTROL LINE

			TYPES OF CONTROL LINE			
		PRESENTATION	APPLICATION			
2.	seg	The line must be continuous but may contain segments of natural or manmade barriers, such as a road or large rock out- cropping				
3.		nd line can be used as either direct or rect attack				
4.	Adv	vantages				
	a)	Adaptable to various types of terrain				
	b)	Adaptable to various types of fuel				
	c)	Easily reinforced				
	d)	It is the only logical choice in many situations				
5.	Dis	advantages				
	a)	Time consuming. It takes a fresh 15 person crew one hour to build 300 feet of nine foot wide line in six foot brush				
	b)	Fatigue factor increases the time needed for hand line construction				
		1) Difficult terrain and fuel				
		2) Higher temperatures				
	c)	Hazard factor to personnel				
		Most remote assignments				
		2) Most difficult terrain				
Scratch line						
1.	-	uickly constructed, minimum width, aporary control line				
	a)	Must be to mineral soil				

B.



Procedures Handbook 4200

TYPES OF CONTROL LINE

$\overline{}$			TYPES OF CONTROL LINE
		PRESENTATION	APPLICATION
		b) Just wide enough to hold the fire in check	
	2.	Used to temporarily stop the spread	
		Used extensively during hot-spotting operations	
		b) Usually used when two or more crews are assigned to the same flank	
	3.	Developed for speed	
		a) Crew must keep moving forward	
	4.	Must be reinforced by completion of finished line	
		Widening the line is often completed during the mop-up stage	
	5.	Scratch line can be used in either the direct or indirect attack methods	
	6.	Scratch line has been used to fire out from during emergencies	
C.	Cold	d trailing	
	1.	Cutting line on a fire that is already out, cold, or not burning	
	2.	Any procedure used to secure <u>inactive</u> fire perimeter, islands or spot fires	
		a) Used when fire edge appears to be out	
		b) Used when fire edge is smoldering	
		 Edge of burn is generally scraped into and scattered inside the burn 	
		d) Mop-up operations proceed normally	

Procedures Handbook 4200

TYPES OF CONTROL LINE

PRESENTATION APPLICATION

3. This procedure assures that no line is left open, including the portions of the fire that went out by themselves

IV. UNDERCUT LINE

- A. A fire line (hand line or dozer line) that is constructed on a slope, under a fire
 - 1. Fire line constructed across the face of a slope and below the fire's edge
 - 2. When a ball dropped in the burn would roll into the green
 - a) Used or when crossing drainages
 - b) On ridge tops
 - c) Flanking the fire up a side hill
 - 3. An undercut line must have a trench with a good berm

B. Trenching

- 1. A ditch and berm dug on undercut line
 - a) A berm is the outer, raised edge on the downhill side of the ditch or trench
 - b) Where to walk on an undercut line
 - 1) **Do not** walk above the trench
 - 2) You can walk "in" the trench
 - 3) You can walk below the trench use caution
- 2. The objective is to keep rolling material, such as pine cones, mossy rocks, small logs and

4202.4.tlp.doc October 21, 2004



Procedures Handbook 4200

		TYPES OF CONTROL LINE	
		APPLICATION	
		ilar fuels, that may be burning, from ssing the line	
	a)	The steeper the slope, the wider and deeper the trench has to be, along with a higher berm	
	b)	Adjust the size of the trench to accommodate the type of material it will be expected to hold	
NOTE: Discuss width, depth and how clean. Hand out Student Information Sheet 4202.4-1, Trench and Berm for undercut line			
			Display graphic 4202.4-1
3.	Me	thods and techniques of trenching	
	a)	Rocks may be used to help build the berm	
	b)	Pulaskis are used to loosen the soil and start the trench	
	c)	McLeods and shovels complete the trench and berm	
	d)	An undercut line should be constructed double the normal line width you are cutting	
	e)	Unburned fuel should be thrown as far downhill as possible and scattered	
	f)	Burned or burning fuel should be thrown into the burned area a minimum of 15 feet and scattered	
4.	4. Safety considerations		
	a)	Side hill footing while swinging tools	



Procedures Handbook 4200

TYPES OF CONTROL LINE

			PRESENTATION	APPLICATION
		b) Extra work spacing	
		С) Rolling rocks	
		d) Falling trees and limbs	
		е) Rolling hot material starting spot fires below the crew	
		f)	It may be more difficult to work or the escape from the fire	
V.	FIN	ISHED L	INE	
	A.	The fin	ished and final line	
			The line should be approximately 1-½ times ne height of the dominant fuel	
	B.	Hand t	ools or dozers are used	
		1. N	flust be anchored	
		2. N	flust be tied in	
		3. S	Scraped to bare dirt (mineral soil)	
				Administer Topic Quiz



TYPES OF CONTROL LINE

SUMMARY:

As a member of a handcrew, you must be familiar with the types of line used to control wildland fire and be capable of producing any types of control methods that may be expected of you. You must be familiar with wet line and dozer line construction and be very proficient at all types of handline, including direct, indirect, scratch line, cold trailing, undercut line/trenching, and finished line.

EVALUATION:

The student will complete a written quiz at a time determined by the instructor.

ASSIGNMENT:

Review your notes and Student Information Sheet 4202.4-1 in preparation for the upcoming quiz. Study for the next session.